



COMPONENT
HARDWARE®



EUROPE CATALOGUE

Your Global Partner for Innovative Solutions

SEE OUR CATALOGUE SECTIONS FOR ALL OUR OTHER HIGH QUALITY PRODUCTS:



CONCEPT & FEASIBILITY STUDIES, 3D MODELLING & RENDERING (SOLIDWORKS), AND RAPID PROTOTYPING (3D-PRINTER ON SITE) ARE JUST A FEW EXAMPLES OF THE COMPREHENSIVE ENGINEERING SERVICES THAT COMPONENT HARDWARE GROUP OFFERS TO ITS CUSTOMERS

CHG HAT UMFASSENDE TECHNISCHE FÄHIGKEITEN FÜR IHNEN VERFÜGBAR, WORUNTER: KONZEPT UND DURCHSETZBARKEITSPRÜFUNG/3D MODELLIERUNG & RENDERING (SOLIDWORKS) / RAPID PROTOTYPING (3D-DRUCKER VERFÜGBAR)

CHG VOUS OFFRE DES SERVICES D'INGÉNIERIE COMPLETS PARMI LESQUELS DES ÉTUDES DE CONCEPT ET FAISABILITÉ / LE MODELAGE 3D ET RENDU AVEC SOLID WORKS, PROTOTYPAGE RAPIDE (À L'IMPRESSION 3D)

CHG KAN U UITGEBREIDE ENGINEERING CAPACITEITEN AANBIEDEN, WAARONDER: CONCEPT & HAALBAARHEID STUDIES / 3D MODELLEREN & RENDERING (SOLIDWORKS)/ RAPID PROTOTYPING (3D PRINTER BESCHIKBAAR)

© COPYRIGHT 2024, COMPONENT HARDWARE GROUP, INC. REV. 11/24

All photographs and illustrations are considered to be a representation of the actual item. In some cases there may be slight variations. This catalog, copy, part numbers and unique method of illustrating products is copyrighted by Component Hardware Group. All rights reserved. No portion of this catalog may be reproduced in any form or by any means in whole or in part, without the written consent of Component Hardware. Component Hardware reserves the right to make any and all changes and to discontinue any of its products without notice.

Not responsible for typographical errors.

TABLE OF CONTENTS

TABLE OF CONTENTS	1
INTRODUCTION	2-5
WORK TABLES	6-9
• EQUIPMENT LEGS	7-9, 27
PLUMBING COMPONENTS	10-15
CAFETERIA COMPONENTS	16-19
CABINET HARDWARE	20-25
ORIGINAL EQUIPMENT MANUFACTURING	26-32
• HINGES	29
CANOPY HOOD	33-35
INDEX	36-37

SYMBOLS EXPLAINED

SQUARE	□
DIAMETER	∅
WIDTH	↔
HEIGHT	↕
VERTICAL ADJUSTMENT	↕↕
HORIZONTAL ADJUSTMENT	↔↔
WEIGHT	⚖
ELECTRICAL	⊕
BATTERY	🔋

NOTE: All dimensions are in mm.

COMPONENT HARDWARE

ABOUT US

Since 1981, Component Hardware Group, has been producing specialised components and unique solutions. Component hardware Group is a market leader with strong engineering, global manufacturing, and distribution skills.

Serving the foodservice, healthcare, hospitality, commercial, and institutional markets; providing the best casting, forging, stamping, machining, injection moulding, extruding, fabrication, and custom sub-assembly solutions in the market; and a wide range of commercial plumbing products, kitchen exhaust system components, fabrication hardware, and refrigeration hardware.

WHY YOU SHOULD CHOOSE COMPONENT HARDWARE GROUP

A dependable and respected supply partner who is supporting customers by providing solutions that save time, money and reduce worry.

To keep your manufacturing lines operating smoothly and efficiently, Global Supply Chain provides timely delivery of high-quality items wherever you may need them. Our diligent Quality Assurance team ensures that the products we supply meet or exceed applicable market standards and regulatory criteria.

Capability to design and construct specialised or proprietary components and subassemblies on a budget for projects of all sizes.

Complete design and customization flexibility is made possible by the world's engineering and manufacturing capabilities, which include machining, metal forming, forging, stamping, die and sand casting, plastic injection moulding, extruding, fabrication, and subassembly processes.

Our virtual manufacturing strategy allows us to own our product designs and tooling without incurring the exorbitant costs associated with owning the actual production facilities. Comprehensive product catalogue of over 17,000 products, including specialty and customer-proprietary items.

WHERE WE ARE

The EMEA Sales and Operations office and warehouse are located in Breda, the Netherlands.

Headquartered in Matawan, NJ, USA with operations and sales offices located throughout the United States, Europe, Canada, and Asia:

- Matawan, New Jersey
- Columbus, Ohio
- Bernardino, California
- Denton, Texas
- Markham, Ontario
- Breda, The Netherlands

Our international distribution network ensures timely delivery of quality products to virtually any location in the world.

For further information, please visit our web site at: www.componenthardware.eu

Follow us on LinkedIn, Facebook and Instagram

Innovative Engineering

Strategic Solutions Provider: Whether it is a whole concept design or just small design tweaks to an existing product, our committed team covers your engineering and manufacturing needs from start to end. With a full staff of trained mechanical and electrical engineers, we can create one-of-a-kind custom solutions and provide thorough customer product design support with on-site design and technical help. Our customers keep coming back because of our consultative design, reverse engineering ability, quick project/quote turnaround, value engineering for cost reduction, and multiple patented and trademarked goods.

Our team of SolidWorks 3-D CAD certified experts utilizes 3-D rapid prototype modelling to assist a smooth transition from idea to concept to prototype to production as quickly and inexpensively as feasible.

Global Regulatory Compliance: Our engineers collaborate with external testing organisations to ensure that your goods meet or surpass all regulatory standards, including as NSF, UL, CE, WRAS, NFPA, MOCA and RoHS.



Supply Chain Optimization

Strategic Warehousing: We make a significant investment in inventory so that our partners don't have to. We are dedicated to making sure we always have the necessary high-quality finished parts on our shelves to advance your production.

With dedicated warehouses in Europe, the United States and Canada, Component Hardware Group has a storage capacity of over 23.000 square meters, globally.

Global Distribution Network: Our network of distributors across the world ensures a continuous supply of goods, getting you what you need when you need it.

International Logistics: Wherever your facilities may be situated, our expert staff will ensure the efficient, prompt delivery of your products.

Custom Subassemblies

We offer a range of possibilities in the realm of technical engineering. Subassemblies can be designed and manufactured independently, allowing for streamlined production processes and facilitating rapid assembly. This modular approach enhances scalability and adaptability, enabling system upgrades and modifications with minimal disruptions. By harnessing the power of subassemblies, engineers can optimize design, improve reliability, and accelerate the development of complex technical systems.



GLOBAL MANUFACTURING CAPABILITIES

Forging

The term “forging” refers to the oldest metalworking technique known to man, which involves applying small, localised compressive stresses on metal to shape it.

Cold forging is carried out at or very close to room temperature. High temperatures are used in hot forging, which makes metal simpler to shape and less prone to fracture. Warm forging is carried out at a temperature that lies between ambient and hot forging temperatures. Sizes of forged pieces can range from 50 grams to 1500 grams. To get a completed item from a forged part, additional processing is typically necessary. A high strength-to-weight ratio can be achieved through forging, which produces metal that is stronger than cast or machined metal components.



Die Casting


Engineers use extreme pressure to push molten metal into a steel mould during the die casting process. Depending on the size of the corresponding mould, the machines' sizes vary.

Depending on the size and weight of the components, a die casting process can take a while to complete. The quickest method for creating precise, high-quality, non-ferrous metal parts is die casting.




Sand Casting

Sand is used as the mould material in the metal casting technique known as sand casting, often referred to as sand moulded casting. The phrase “sand casting” can also be used to describe an item made using the sand-casting technique. Foundries are specialised enterprises where sand castings are made.



Investment Casting

In the industrial process known as investment casting or lost wax casting, a refractory ceramic substance is utilized to cover a wax pattern. Once the ceramic material has fully hardened, its geometry adopts the shape of the casting. Melted wax is poured into the cavity of the wax pattern after being released from the mould and molten metal. Accurate components may be produced repeatedly by investment casting.



Stamping

With stamping, sheet metal can be formed using a variety of production techniques, such as punching with a stamping press, bending, embossing, or coining. Sheet metal and several other materials, such as polystyrene, can both be stamped. Multiple cutting and shaping operations happen simultaneously during a progressive die stamping process. Cold-rolled commercial steel and various grades of stainless steel are frequently utilised materials in progressive die stamping. Additionally, tooling is typically affordable with Component Hardware Group.



GLOBAL MANUFACTURING CAPABILITIES



Machining

Component Hardware Group divide the machining processes into the following categories: milling, turning, tapping, threading, and drilling. While drilling operations employ revolving cutters to create and perfect holes, these procedures use milling machines to cut workpieces. Male and female mating pairs are created or destroyed by the threading and tapping processes. These processes are all crucial and support the production of our commercial kitchen components.



Plastic Injection Molding & Extruding

The method of plastic injection moulding creates both thermosetting and thermoplastic polymers. High pressure injection of molten plastic into a mould that is typically the opposite of the product's shape is required. Then, metal is used to construct moulds by tool or mould makers who employ aluminium or steel to precisely form the required features. ABS Nylon, polystyrene, polypropylene, PVC, and polyethylene are materials that are frequently utilised.



Wire Forming

Metal forming, also known as wire forming or fabrication, is the process of bending and stamping wires into manufactured forms to produce a variety of goods. Wire racks, hooks, speciality pins, springs, clips, and other personalised goods are typical products. Our engineers carry out manual or CNC-powered wire shaping operations.

When stamping, a sheet of metal is put into a stamping machine in coil or blank form. A tool and the die surface combine to create a net-shaped result during the process. Stainless steel in various grades, commercial steel, and cold-rolled steel are among the materials frequently utilised.




Plating & Powder Coating

This is the general term for methods of surface-covering that entail depositing metal into a conductive surface. Electroplating stops faucets, hinges, and electronic equipment from corroding. It affects product characteristics including conductivity, paint adhesion, shielding, and wearability. We are experts in electroplating, chrome plating, nickel plating, and zinc plating. Applying a characteristic dry powder coating known as powder coating entails keeping the filler components and binder in a liquid state without the use of a solvent. The powder is electrostatically applied by engineers, who then heat-cure it to form a coating. This results in a more durable finish compared to conventional plating.



WORK TABLES



- ✓ INSERT FEET ARE AVAILABLE IN A WIDE VARIETY OF SIZES FOR SQUARE AND ROUND TUBES
- ✓ COMES IN A GREAT VARIETY OF FINISHES, PLASTIC, ZAMAK, NICKEL PLATED AND STAINLESS STEEL
- ✓ A SUBSTANTIAL RANGE OF ADJUSTABLE INSERT LEGS
- ✓ NSF CERTIFIED MODELS AVAILABLE
- ✓ AVAILABLE FROM STOCK

- ✓ STELPOTEN VERKRIJGBAAR VOOR MEERDERE AFMETINGEN, VOOR RONDE EN VIERKANTE BUIZEN
- ✓ VERKRIJGBAAR IN VERSCHILLENDE MATERIALEN; PLASTIC, ZAMAK, VERCHROOMD EN RVS
- ✓ EEN UITGEBREIDE RANGE IN HOOGTE VERSTELBARE POOTJES
- ✓ NSF GECERTIFICEERDE MODELLEN VERKRIJGBAAR
- ✓ UIT VOORRAAD LEVERBAAR

- ✓ EINSCHLAGFÜSSE SIND ERHÄLTICH IN VIELEN VERSCHIEDENEN GRÖSSEN, FÜR RUND- UND VIERKANT ROHRE
- ✓ VERFÜGBAR IN UNTERSCHIEDLICHEN MATERIALIEN WIE ZAMAK, KUNSTSTOFF, EDELSTAHL UND VERNICKELT
- ✓ DER WESENTLICHE BEDARF AN EINSCHLAGFÜSSEN WIRD ABGEDECKT
- ✓ NSF ZERTIFIZIERTE MODELLE SIND ERHÄLTICH
- ✓ LAGERWARE, DAHER KURZFRISTIG VERFÜGBAR

INP SERIES 	INSERT FOOT, PLASTIC EINSCHLAGFUSS, KUNSTSTOFF VERINS POUR TUBES CARRÉS STELPOOT, KUNSTSTOF *OTHER COLORS AVAILABLE	<table><tr><th>ITEM</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>INP 030 H</td><td>30</td><td>30</td><td>22</td><td>32</td><td></td><td>150</td></tr><tr><td>INP 035 H</td><td>35</td><td>35</td><td>32</td><td>36</td><td></td><td>175</td></tr><tr><td>INP 035 H-SC</td><td>35</td><td>35</td><td>32</td><td>36</td><td></td><td>175</td></tr><tr><td>INP 040 H</td><td>40</td><td>40</td><td>32</td><td>36</td><td></td><td>300</td></tr><tr><td>INP 040 H-SC</td><td>40</td><td>40</td><td>32</td><td>36</td><td></td><td>300</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM							INP 030 H	30	30	22	32		150	INP 035 H	35	35	32	36		175	INP 035 H-SC	35	35	32	36		175	INP 040 H	40	40	32	36		300	INP 040 H-SC	40	40	32	36		300																																			
ITEM																																																																															
INP 030 H	30	30	22	32		150																																																																									
INP 035 H	35	35	32	36		175																																																																									
INP 035 H-SC	35	35	32	36		175																																																																									
INP 040 H	40	40	32	36		300																																																																									
INP 040 H-SC	40	40	32	36		300																																																																									
IN - H SERIES 	INSERT FOOT, ZAMAK, NICKEL PLATED, TUBE THICKNESS 1.2 TO 1.5MM EINSCHLAGFUSS, VERZINKT, ZAMAK, WANDSTÄRKE 1.2 TO 1.5MM VERINS POUR TUBES CARRÉS, GALVANISÉS, CHROMÉS, POUR ÉPAISSEUR DE TUBE DE 1.2 À 1.5 MM STELPOOT, VERZINKT, VERNIKKELD, WANDDIKTE 1.2 TO 1.5MM	<table><tr><th>ITEM</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>IN 025</td><td>25</td><td>25</td><td>20</td><td>30</td><td></td><td>450</td></tr><tr><td>IN 025-NP</td><td>25</td><td>25</td><td>20</td><td>30</td><td></td><td>450</td></tr><tr><td>IN 030 H</td><td>30</td><td>30</td><td>30</td><td>30</td><td></td><td>500</td></tr><tr><td>IN 030 H-NP</td><td>30</td><td>30</td><td>30</td><td>30</td><td></td><td>500</td></tr><tr><td>IN 035 H</td><td>35</td><td>35</td><td>25</td><td>30</td><td></td><td>750</td></tr><tr><td>IN 035 H-NP</td><td>35</td><td>35</td><td>25</td><td>30</td><td></td><td>750</td></tr><tr><td>IN 040 H</td><td>40</td><td>40</td><td>35</td><td>30</td><td></td><td>1250</td></tr><tr><td>IN 040 H-2 (2MM)</td><td>40</td><td>40</td><td>35</td><td>30</td><td></td><td>1250</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM							IN 025	25	25	20	30		450	IN 025-NP	25	25	20	30		450	IN 030 H	30	30	30	30		500	IN 030 H-NP	30	30	30	30		500	IN 035 H	35	35	25	30		750	IN 035 H-NP	35	35	25	30		750	IN 040 H	40	40	35	30		1250	IN 040 H-2 (2MM)	40	40	35	30		1250														
ITEM																																																																															
IN 025	25	25	20	30		450																																																																									
IN 025-NP	25	25	20	30		450																																																																									
IN 030 H	30	30	30	30		500																																																																									
IN 030 H-NP	30	30	30	30		500																																																																									
IN 035 H	35	35	25	30		750																																																																									
IN 035 H-NP	35	35	25	30		750																																																																									
IN 040 H	40	40	35	30		1250																																																																									
IN 040 H-2 (2MM)	40	40	35	30		1250																																																																									
IN - F SERIES 	INSERT FOOT WITH FLANGE , ZAMAK, NICKEL PLATED EINSCHLAGFUSS MIT FLANSCH, VERZINKT, ZAMAK VERINS POUR TUBES CARRÉS, GALVANISÉS STELPOOT MET FLENS, VERZINKT, VERNIKKELD	<table><tr><th>ITEM</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>IN 030 F</td><td>30</td><td>30</td><td>20</td><td>30</td><td></td><td>500</td></tr><tr><td>IN 030 F-NP</td><td>30</td><td>30</td><td>20</td><td>30</td><td></td><td>500</td></tr><tr><td>IN 035 F</td><td>35</td><td>35</td><td>20</td><td>30</td><td></td><td>750</td></tr><tr><td>IN 030 F-SP30</td><td>30</td><td>30</td><td>20</td><td>32</td><td></td><td>500</td></tr><tr><td>IN 030 F-SP50</td><td>30</td><td>30</td><td>20</td><td>50</td><td></td><td>500</td></tr><tr><td>IN 040 F</td><td>40</td><td>40</td><td>31</td><td>31</td><td></td><td>1250</td></tr><tr><td>IN 035 F-NP</td><td>35</td><td>35</td><td>20</td><td>20</td><td></td><td>750</td></tr><tr><td>IN 040 F-NP</td><td>40</td><td>40</td><td>31</td><td>31</td><td></td><td>1250</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM							IN 030 F	30	30	20	30		500	IN 030 F-NP	30	30	20	30		500	IN 035 F	35	35	20	30		750	IN 030 F-SP30	30	30	20	32		500	IN 030 F-SP50	30	30	20	50		500	IN 040 F	40	40	31	31		1250	IN 035 F-NP	35	35	20	20		750	IN 040 F-NP	40	40	31	31		1250														
ITEM																																																																															
IN 030 F	30	30	20	30		500																																																																									
IN 030 F-NP	30	30	20	30		500																																																																									
IN 035 F	35	35	20	30		750																																																																									
IN 030 F-SP30	30	30	20	32		500																																																																									
IN 030 F-SP50	30	30	20	50		500																																																																									
IN 040 F	40	40	31	31		1250																																																																									
IN 035 F-NP	35	35	20	20		750																																																																									
IN 040 F-NP	40	40	31	31		1250																																																																									
IN - HSS SERIES 	INSERT FOOT, NICKEL PLATED, STAINLESS STEEL EINSCHLAGFUSS, VERNICKELT, EDELSTAHL VERINS POUR TUBES, GALVANISÉS, INOX STELPOOT, VERNIKKELD, RVS	<table><tr><th>ITEM</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>IN 030 H-SS</td><td>30</td><td>30</td><td>25</td><td>30</td><td></td><td>500</td></tr><tr><td>IN 035 H-SS</td><td>35</td><td>35</td><td>25</td><td>30</td><td></td><td>750</td></tr><tr><td>IN 040 H-SS</td><td>40</td><td>40</td><td>35</td><td>30</td><td></td><td>1250</td></tr><tr><td>IN 040 H-SS-2</td><td>40</td><td>40</td><td>35</td><td>30</td><td></td><td>1250</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM							IN 030 H-SS	30	30	25	30		500	IN 035 H-SS	35	35	25	30		750	IN 040 H-SS	40	40	35	30		1250	IN 040 H-SS-2	40	40	35	30		1250																																										
ITEM																																																																															
IN 030 H-SS	30	30	25	30		500																																																																									
IN 035 H-SS	35	35	25	30		750																																																																									
IN 040 H-SS	40	40	35	30		1250																																																																									
IN 040 H-SS-2	40	40	35	30		1250																																																																									

WORK TABLES

IN & INR SERIES



INSERT FOOT, SQUARE OR ROUND, ZAMAK WITH OR WITHOUT FLANGE, NICKEL PLATED OR S/S

STELLFUSS, 4-ECKIG ODER RUND, ZAMAK, MIT ODER OHNE FLANGE, NICKEL ODER EDELSTAHL

VERINS CARRÉ OU ROND, ZAMAK NICKELÉ, EMBOUT INOX AVEC OU SANS FLANGE

STELPOOT, VIERKANT OF ROND, ZAMAK MET EN ZONDER

FLENS, VERNIKKELD OF RVS

ITEM	SQUARE, 4-ECKIG, CARRÉ, VIERKANT					
IN 040 F-SS		40	40	30		1250
IN 040 F-SS50		40	40	30		1250
	ROUND, RUND, ROND, ROND					
INR 040 F-SS	40		40	30		1100
INR 040 F-SS50	40		40	30		1100
INR 040 H-NP	40		35	35		1100
INR 040 H-SS	40		35	35		1100

A59 SERIES



EQUIPMENT LEG, STAINLESS STEEL, M10

ANSCHRAUBFUSS, EDELSTAHL, M10

PIED RÉGLABLE, INOX, M10

STELPOOT, RVS, M10

*MOUNTING PLATE

NOTE: OTHER CONFIGURATIONS AVAILABLE ON REQUEST

ITEM					
A59-1000*	59	120/150	30		700
A59-1100*	59	120/180	60		700
A59-1150	59	120/180	60		700
A59-1250	59	120/180	30		700
A59-0090	59	100/160	60		700
A59-1150	59	120/180	60		700
A59-1650	59	160/255	95		700

A65 SERIES



EQUIPMENT LEG, STAINLESS STEEL, M10

ANSCHRAUBFUSS, EDELSTAHL, M10

PIED RÉGLABLE, INOX, M10

STELPOOT, RVS, M10

*MOUNTING PLATE

NOTE: OTHER CONFIGURATIONS AVAILABLE ON REQUEST

ITEM					
A65-2000	65	120/150	30		700
A65-2100	65	120/180	60		700
A65-2200	65	120/150	30		700
A65-2300	65	120/180	60		700
A65-2000-IT*	65	120/150	30		700
A65-2400*	65	155/205	50		700
A65-2600-IT*	65	140/240	100		700
A65-2700*	65	155/205	50		700

CUSTOM LEGS



CUSTOM LEGS AVAILABLE ON REQUEST IN ANY CONFIGURATION REQUIRED

MASSGESCHNEIDERT ANSCHRAUBFÜSSE AUF ANFRAGE IN JEDER ERFORDERLICHEN KONFIGURATION VERFÜGBAR

TAILLEUR SPÉCIFIQUE PIED RÉGLABLE DISPONIBLE SUR DEMANDE DANS TOUTE CONFIGURATION REQUISE

STELPOTEN IN IEDERE SPECIFIEKE CONFIGURATIE OP AANVRAAG VERKRIJGBAAR

CONTACT US WITH YOUR REQUEST


INA 030, 040 SERIES 	INSERT FOOT, ALUMINIUM EINSCHLAGFUSS, ALUMINIUM VERINS POUR TUBES CARRÉS ALUMINIUM STELPOOT, ALUMINIUM	<table><tr><th>ITEM</th><th colspan="6">SQUARE, 4-ECKIG, CARRÉ, VIERKANT</th></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>INA 030 F</td><td>30</td><td>30</td><td>22</td><td>33</td><td></td><td>1000</td></tr><tr><td>INA 030 H</td><td>30</td><td>30</td><td>17</td><td>33</td><td></td><td>1000</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>INA 040 F</td><td>40</td><td>40</td><td>28,5</td><td>31,5</td><td></td><td>1000</td></tr><tr><td>INA 040 H</td><td>40</td><td>40</td><td>31</td><td>31</td><td></td><td>1000</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM	SQUARE, 4-ECKIG, CARRÉ, VIERKANT													INA 030 F	30	30	22	33		1000	INA 030 H	30	30	17	33		1000								INA 040 F	40	40	28,5	31,5		1000	INA 040 H	40	40	31	31		1000																												
ITEM	SQUARE, 4-ECKIG, CARRÉ, VIERKANT																																																																														
																																																																															
INA 030 F	30	30	22	33		1000																																																																									
INA 030 H	30	30	17	33		1000																																																																									
INA 040 F	40	40	28,5	31,5		1000																																																																									
INA 040 H	40	40	31	31		1000																																																																									

A48, 50 SERIES  *	EQUIPMENT LEG, STAINLESS STEEL , M12 ANSCHRAUBFUSS, EDELSTAHL , M12 PIED RÉGLABLE, INOX , M12 STELPOOT, RVS, M12 *ALL A48, 50 MODELS CAN BE PLATED MOUNTED BY FITTING THE MP1/SS ON TOP.	<table><tr><th>ITEM</th><th>Ø</th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>A48-5032-M</td><td>41</td><td></td><td>100</td><td>44</td><td></td><td>900</td></tr><tr><td>A48-5048-M</td><td>41</td><td></td><td>150</td><td>44</td><td></td><td>900</td></tr><tr><td>A50-5032-M</td><td>41</td><td>STUD</td><td>100</td><td>44</td><td></td><td>900</td></tr><tr><td>A50-5048-M</td><td>41</td><td>STUD</td><td>150</td><td>44</td><td></td><td>900</td></tr><tr><td>MP1/SS*</td><td></td><td colspan="2">102 x 80</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM	Ø						A48-5032-M	41		100	44		900	A48-5048-M	41		150	44		900	A50-5032-M	41	STUD	100	44		900	A50-5048-M	41	STUD	150	44		900	MP1/SS*		102 x 80																																
ITEM	Ø																																																																							
A48-5032-M	41		100	44		900																																																																		
A48-5048-M	41		150	44		900																																																																		
A50-5032-M	41	STUD	100	44		900																																																																		
A50-5048-M	41	STUD	150	44		900																																																																		
MP1/SS*		102 x 80																																																																						

A84, 86 SERIES  *	EQUIPMENT LEG, STAINLESS STEEL , M12 ANSCHRAUBFUSS, EDELSTAHL , M12 PIED RÉGLABLE, INOX , M12 STELPOOT, RVS, M12 *ALL A84, 86 MODELS CAN BE PLATED MOUNTED BY FITTING THE MP1/SS ON TOP.	<table><tr><th>ITEM</th><th>Ø</th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>A84-5032-M</td><td>50</td><td></td><td>100</td><td>44</td><td></td><td>900</td></tr><tr><td>A84-5048-M</td><td>50</td><td></td><td>150</td><td>44</td><td></td><td>900</td></tr><tr><td>A86-5032-M</td><td>50</td><td>STUD</td><td>100</td><td>44</td><td></td><td>900</td></tr><tr><td>A86-5048-M</td><td>50</td><td>STUD</td><td>150</td><td>44</td><td></td><td>900</td></tr><tr><td>MP1/SS*</td><td></td><td colspan="2">102 x 80</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM	Ø						A84-5032-M	50		100	44		900	A84-5048-M	50		150	44		900	A86-5032-M	50	STUD	100	44		900	A86-5048-M	50	STUD	150	44		900	MP1/SS*		102 x 80																																
ITEM	Ø																																																																							
A84-5032-M	50		100	44		900																																																																		
A84-5048-M	50		150	44		900																																																																		
A86-5032-M	50	STUD	100	44		900																																																																		
A86-5048-M	50	STUD	150	44		900																																																																		
MP1/SS*		102 x 80																																																																						

CASTERS 	CASTERS FOR YOUR APPLICATION, WIDE RANGE AVAILABLE BRAKED AND UNBRAKED, SWIVEL OR FIXED, PLATE OR (EXPANDING) STEM ROLLEN FÜR IHRE ANWENDUNG, GROSSE AUSWAHL VERFÜGBAR. GEBREMST UND UNGEBREMST, DREHBAR ODER FESTSTEHEND, PLATTE ODER (SPREIZ-) VORBAU ROUES POUR VOTRE APPLICATION, LARGE GAMME DISPONIBLE. FREINÉS ET NON FREINÉS, PIVOTANTS OU FIXES, À TÔLE OU À TIGE (EXPANSIBLE) WIELEN VOOR UW TOEPASSING, BREED ASSORTIMENT BESCHIKBAAR. GEREMD EN ONGEREMD, DRAAIBAAR OF VAST, PLAAT OF (UITZETTENDE) STEEL SEE PAGE 17	<table><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> CONTACT US WITH YOUR REQUEST																																																																		

PLUMBING COMPONENTS



- ✓ ALL FAUCETS AND PRE-RINSES ARE NSF LISTED
- ✓ FAUCETS AND PRE-RINSES ARE INDIVIDUALLY PRESSURE TESTED TO 400 PSI
- ✓ ALL FAUCETS AND PRE-RINSES ARE MANUFACTURED IN SOLID BRASS AND ARE MULTIPLE CHROME PLATED
- ✓ PRE-RINSES COME WITH A NYLON-REINFORCED SANTOPRENE® INNER HOSE FOR MAXIMUM DURABILITY
- ✓ IMMEDIATE SHIPMENT FROM STOCK IS ASSURED

- ✓ KRANEN EN VOORSPOELDOUCHES ZIJN NSF GELICENSEERD
- ✓ ELKE KRAAN EN VOORSPOELDOUCHE ONDERGAAT STANDAARD EEN DRUKTEST TOT 400 PSI
- ✓ ALLE KRANEN EN VOORSPOELDOUCHES WORDEN GEFABRICEERD UIT MASSIEF BRONS EN MEERVOUDIG VERCHROOMD
- ✓ DE VOORSPOELDOUCHES HEBBEN EEN NYLON VERSTERKTE SANTOPRENE BINNENSLANG VOOR EEN MAXIMALE LEVENSDUUR
- ✓ LEVERING UIT VOORRAAD GEGARANDEERD

- ✓ ARMATUREN UND GESCHIRRWASCHBRAUSEN SIND NSF LIZENZIERT
- ✓ ALLE ARMATUREN UND GESCHIRRWASCHBRAUSEN SIND DRUCKGEPRÜFT BIS 400PSI
- ✓ ALLE ARMATUREN UND GESCHIRRWASCHBRAUSEN SIND AUS MASSIVEM MESSING GEFERTIGT UND MEHRFACH VERCHROMT
- ✓ GESCHIRRWASCHBRAUSEN SIND MIT NYLON VERSTÄRKTEM SCHLAUCH AUS SANTOPRENE AUSGESTATTET, DAS GARANTIIERT MAXIMALE LEBENSDAUER
- ✓ SCHNELLE LIEFERUNG AUS LAGERVORRAT IST GEWÄHRLEISTET


PLUMBING COMPONENTS

KL50, 56, 60, 66 SERIES 	ENCORE, DECK MOUNT PRE-RINSE UNIT, WITH AND WITHOUT ADD-ON FAUCET, 10 MM WATER CONNECTIONS ENCORE GESCHIRRSPÜLBRAUSE MIT UND OHNE SCHWENKAUSLAUF, 10 MM WASSERANSCHLUSS ENCORE DOUCHETTES DE PRÉLAVAGE, MONO-TROU, MONTAGE SUR TABLE, SANS ET AVEC ROBINET INTERMÉDIAIRE, 10 MM CONNECTION ENCORE VOORSPOELDOUCHE , ENKELGAT , TAFELMODEL, 10 MM WATER AANSLUITINGEN	<table><tr><th>ITEM</th><th>Ø</th><th>↔</th><th>↕</th><th>↗</th><th>↘</th><th>↖</th></tr><tr><td>KL50-1100-BS</td><td>38</td><td>380</td><td>1009</td><td></td><td></td><td></td></tr><tr><td>KL50-1155-BS10</td><td>38</td><td>380</td><td>1009</td><td></td><td></td><td></td></tr><tr><td>KL50-MINI-EU</td><td>38</td><td>242</td><td>716</td><td></td><td></td><td></td></tr><tr><td>*KL55-7008</td><td></td><td>203</td><td>219</td><td></td><td></td><td></td></tr><tr><td>*KL55-7010</td><td></td><td>254</td><td>230</td><td></td><td></td><td></td></tr><tr><td>*KL55-7012</td><td></td><td>305</td><td>242</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM	Ø	↔	↕	↗	↘	↖	KL50-1100-BS	38	380	1009				KL50-1155-BS10	38	380	1009				KL50-MINI-EU	38	242	716				*KL55-7008		203	219				*KL55-7010		254	230				*KL55-7012		305	242																	
ITEM	Ø	↔	↕	↗	↘	↖																																																											
KL50-1100-BS	38	380	1009																																																														
KL50-1155-BS10	38	380	1009																																																														
KL50-MINI-EU	38	242	716																																																														
*KL55-7008		203	219																																																														
*KL55-7010		254	230																																																														
*KL55-7012		305	242																																																														
KL53 SERIES 	ENCORE WALL MOUNT DOUBLE HOLE PRE-RINSE UNIT WITH AND WITHOUT ADD ON FAUCET ENCORE GESCHIRRWASSCHBRAUSE DOPPELLOCH WAND MODEL, MIT UND OHNE SCHWENKAUSLAUF ENCORE DOUCHETTES DE PRÉLAVAGE, BI-TROU, FIXATION MURALE, SANS ET AVEC ROBINET INTERMÉDIAIRE ENCORE, VOORSPOELDOUCHE DUBBELGATS WANDMODEL, MET EN ZONDER TUSSENKRAAN	<table><tr><th>ITEM</th><th>Ø</th><th>↔</th><th>↕</th><th>↗</th><th>↘</th><th>↖</th></tr><tr><td>KL53-1000-BS</td><td></td><td>448</td><td>902</td><td></td><td>200</td><td></td></tr><tr><td>KL53-1020-BS</td><td></td><td>468</td><td>902</td><td></td><td>150</td><td></td></tr><tr><td>KL53-1000-AF3MK</td><td></td><td>448</td><td>1009</td><td></td><td></td><td></td></tr><tr><td>*KL55-7008</td><td></td><td>203</td><td>219</td><td></td><td></td><td></td></tr><tr><td>*KL55-7010</td><td></td><td>254</td><td>230</td><td></td><td></td><td></td></tr><tr><td>*KL55-7012</td><td></td><td>305</td><td>242</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM	Ø	↔	↕	↗	↘	↖	KL53-1000-BS		448	902		200		KL53-1020-BS		468	902		150		KL53-1000-AF3MK		448	1009				*KL55-7008		203	219				*KL55-7010		254	230				*KL55-7012		305	242																	
ITEM	Ø	↔	↕	↗	↘	↖																																																											
KL53-1000-BS		448	902		200																																																												
KL53-1020-BS		468	902		150																																																												
KL53-1000-AF3MK		448	1009																																																														
*KL55-7008		203	219																																																														
*KL55-7010		254	230																																																														
*KL55-7012		305	242																																																														
TOP-LINE SERIES 	TOP-LINE, DECK MOUNT PRE-RINSE UNIT, WITHOUT ADD ON FAUCET, 10 MM WATER CONNECTIONS TOP-LINE GESCHIRRSPÜLBRAUSE OHNE SCHWENKAUSLAUF, 10 MM WASSERANSCHLUSS TOP-LINE DOUCHETTES DE PRÉLAVAGE, MONO-TROU MONTAGE SUR TABLE, SANS ROBINET INTERMÉDIAIRE, 10 MM CONNECTION TOP-LINE VOORSPOELDOUCHE, ENKELGAT, TAFELMODEL, 10 MM WATER AANSLUITINGEN	<table><tr><th>ITEM</th><th>Ø</th><th>↔</th><th>↕</th><th>↗</th><th>↘</th><th>↖</th></tr><tr><td>TLL50H1100-AF3</td><td>38</td><td>380</td><td>1076</td><td></td><td></td><td></td></tr><tr><td>TLL50-1100-BRZ</td><td>38</td><td>380</td><td>1076</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM	Ø	↔	↕	↗	↘	↖	TLL50H1100-AF3	38	380	1076				TLL50-1100-BRZ	38	380	1076																																													
ITEM	Ø	↔	↕	↗	↘	↖																																																											
TLL50H1100-AF3	38	380	1076																																																														
TLL50-1100-BRZ	38	380	1076																																																														
KL51 SERIES 	ENCORE, DOUBLE PANTRY FAUCET, WITH SWIVEL AND DOUBLE JOINTED SPOUTS ENCORE DOPPELMISCHARMATURE MIT SCHWENKBAREM AUSLAUF ENCORE ROBINET PROFESSIONEL, MONO-TROU POUR TABLE, ROTATION COMPLÈTE AVEC COL DE CYGNE ENCORE PROFESSIONELE KRAAN, ENKELGAT, TAFELMODEL, ZWENKBARE UITLOOP, 10 MM WATER AANSLUITING AVAILABLE WITH DIFFERENT SPOUT STYLES	<table><tr><th>ITEM</th><th>Ø</th><th>↔</th><th>↕</th><th>↗</th><th>↘</th><th>↖</th></tr><tr><td>KL51-9106</td><td>38</td><td>152</td><td>211</td><td></td><td></td><td></td></tr><tr><td>KL51-9108</td><td>38</td><td>203</td><td>224</td><td></td><td></td><td></td></tr><tr><td>KL51-9110</td><td>38</td><td>254</td><td>235</td><td></td><td></td><td></td></tr><tr><td>KL51-9112</td><td>38</td><td>305</td><td>246</td><td></td><td></td><td></td></tr><tr><td>KL51-9114</td><td>38</td><td>356</td><td>257</td><td></td><td></td><td></td></tr><tr><td>KL51-9116</td><td>38</td><td>406</td><td>268</td><td></td><td></td><td></td></tr><tr><td>KL51-9118</td><td>38</td><td>457</td><td>255</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM	Ø	↔	↕	↗	↘	↖	KL51-9106	38	152	211				KL51-9108	38	203	224				KL51-9110	38	254	235				KL51-9112	38	305	246				KL51-9114	38	356	257				KL51-9116	38	406	268				KL51-9118	38	457	255										
ITEM	Ø	↔	↕	↗	↘	↖																																																											
KL51-9106	38	152	211																																																														
KL51-9108	38	203	224																																																														
KL51-9110	38	254	235																																																														
KL51-9112	38	305	246																																																														
KL51-9114	38	356	257																																																														
KL51-9116	38	406	268																																																														
KL51-9118	38	457	255																																																														

PLUMBING COMPONENTS

K77 SERIES 	ENCORE 8" SERVICE SINK FAUCET 63MM SPOUT, WITH OPTIONAL (SS) VACUUM BREAKER ENCORE 8" SERVICE SPÜLE-WASSERHAHN 63MM AUSLAUF MIT OPTIONALEM (EDELSTAHL) VAKUUM-UNTERBRECHER ENCORE 8" ROBINET DE SERVICE, 63MM COL DE CYGNE, AVEC (SS) CLAPET CASSE-VIDE EN OPTION ENCORE 8" SERVICE KRAAN, 63MM UITLOOP MET OPTIONELE (RVS) VACUUM BREAKER	ITEM K77-8102-SD K77-8102 K77-8002	Ø ↔ ↕ ↗ ↘ ↻	130 130 130	98 98 98	VACUUM BREAKER SS VACUUM BREAKER NO VACUUM BREAKER
SERVICE PARTS 	ENCORE SERVICE PARTS, COMPRESSION VALVES, SPRAY ASSEMBLY, BUTTON VALVE, HOSE AND GRIP. ENCORE-SERVICETEILE, KOMPRESSIONSVENTILE, VORSPÜL-SPRAY, KNOPFVENTIL, SCHLAUCH UND GRIFF ENCORE PIÈCES DE RECHANGE, VANNES DE COMPRESSION, ENSEMBLE DE PULVÉRISATION DE PRÉRINÇAGE, VANNE À BOUTON, TUYAU ET POIGNÉE ENCORE SERVICE-ONDERDELEN, COMPRESSIEKLEPPEN, VOORSPOELSPRAY, KNOPVENTIEL, SLANG EN GREEP	ITEM KL50-Y006 KL50-Y007 KL50-Y002-16Z KL50-Y004-44Z KN50-X025-Z KL50-Y027-Z KS11-12-X010	Ø ↔ ↕ ↗ ↘ ↻	245	COMPRESSION VALVE COLD COMPRESSION VALVE HOT PRE-RINSE SPRAY ASSEMBLY FLEXIBLE S/S HOSE 44" WITH GRIP GRIP BUTTON VALVE SPOUT OTHER LENGHTS ARE AVAILABLE	
QUIK-FIL SERIES 	ENCORE QUIK-FIL WALL MOUNT/ PILLAR FAUCET WITH SWING SPOUT ENCORE QUIK-FIL WAND MONTAGE/ SOCKEL DOPPELMISCHARMATUR MIT SCHWENKBAREM AUSLAUF ENCORE QUIK-FIL ROBINET PROFESSIONEL, BI-TRou FIXATION MURALE/ COLONNE, ROTATION COMPLÈTE AVEC COL DE CYGNE ENCORE QUIK-FIL PROFESSIONELE KRAAN, WANDMONTAGE/ PILAAR DUBBELGATS VERSTELBAAR, ZWENKBARE UITLOOP	ITEM KL34-3012-SE2 KL34-8014 KL34-Y006 KL34-Y007 KL34-Y014	Ø ↔ ↕ ↗ ↘ ↻	508 355 235	696 235	QUIK-FIL VALVE COLD QUIK-FIL VALVE HOT QUIK-FIL SPOUT 14"
KL56/60/66 SERIES 	ENCORE DECK MOUNT ELEVATED BRIDGE DOUBLE HOLE PRE-RINSE UNIT WITH AND WITHOUT ADD ON FAUCET ENCORE GESCHIRRWASSCHBRAUSE DOPPELLOCH DECK MONTIERT ERHÖHTE BRÜCKE, MIT UND OHNE SCHWENKAUSLAUF ENCORE DOUCHETTES DE PRÉLAVAGE, BI-TRou, PONT SURÉLEVÉ, MONTÉ SUR LE PONT, AVEC ET SANS ROBINET INTERMÉDIAIRE ENCORE, VOORSPOELDOUCHE DUBBELGATS BLAD MODEL, VERHOOGDE BRUG, MET EN ZONDER TUSSENKRAAN AVAILABLE WITH ELEVATION SET	ITEM KL56-1000-BS KL60-1000-BS KL66-1000-BS KL55-7008 KL55-7010 KL55-7012 KL60-Y200 TLL60-Y200	Ø ↔ ↕ ↗ ↘ ↻	102 203 152 203 254 305	978 978 978 219 230 242 200 200	


PLUMBING COMPONENTS

KL54 SERIES 	ENCORE, WALL MOUNT FAUCET WITH SWING SPOUT ENCORE WAND MONTAGE DOPPELMISCHARMATUR MIT SCHWENKBAREM AUSLAUF ENCORE ROBINET PROFESSIONEL, BI-TROU FIXATION MURALE, ROTATION COMPLÈTE AVEC COL DE CYGNE ENCORE PROFESSIONELE KRAAN, DUBBELGATS VERSTELBAAR, ZWENKBARE UITLOOP	ITEM KL54-8006 KL54-8008 KL54-8010 KL54-8012 KL54-8014 KL54-8016 KL54-8018	$\varnothing$ 	$\leftrightarrow$ 152 203 254 305 356 406 457	$\updownarrow$ 141 154 165 176 187 200 210	$\uparrow$ 	$\downarrow$ 	$\rightarrow$
KL61 SERIES 	ENCORE 8" DOUBLE DECK MOUNT FAUCET WITH SWIVEL SPOUT ENCORE 8" DOPPELMISCHARMATUR MIET SCHWENKBAREN AUSLAUF ENCORE 8" ROBINET PROFESSIONEL, BI-TROU POUR TABLE, ROTATION COMPLÈTE AVEC COL DE CYGNE ENCORE 8" PROFESSIONELE KRAAN, DUBBELGATS VERSTELBAAR, TAFELMODEL, ZWENKBARE RECHTE UITLOOP * ALSO AVAILABLE IN 4,6 AND 7" BODY WIDTH.	ITEM KL61-8006 KL61-8008 KL61-8010 KL61-8012 KL61-8014 KL61-8016-SE1 KL61-8018	$\varnothing$ 	$\leftrightarrow$ 152 203 254 305 356 406 457	$\updownarrow$ 207 219 230 243 197 265 278	$\uparrow$ 	$\downarrow$ 	$\rightarrow$
THE ULTIMATE TOUCH FREE HANDWASH SOLUTION 	INDUSTRY FIRST – 750,000 CYCLE BATTERY LIFE (375,000 HAND WASHES) ENERGY-EFFICIENT "LATCHING" (BI-STABLE) SOLENOID ONLY USES POWER TO OPEN OR CLOSE AUTO-RANGING FEATURE AUTOMATICALLY ADJUSTS SENSING RANGE ARMORED/VANDAL-RESISTANT DC INPUT POWER CABLE (2) 18" BRAIDED STAINLESS STEEL SUPPLY LINES INCLUDED DC MODELS POWERED WITH (4) 1.5V AA BATTERIES (INCLUDED) INFRARED SENSOR ACTIVATED SELF-ADAPTING SENSOR DISTANCE ADJUSTMENT 1 SECOND SHUT-OFF DELAY 20 SECOND ADJUSTABLE AUTOMATIC TIME-OUT FEATURE (COMPLIES WITH FDA FOOD CODE) ADJUSTABLE RANGE OF ACTION	ITEM KE24-B031-CA0 KE24-B131-CA0 KE24-B031-CB0 KE24-B131-CB0 KE25-B031-CA0 KE25-B131-CA0 KE25-B031-CB0 KE25-B131-CB0						
KHR SERIES 	HOSE REELS, GRAY POWDER COATED (A) AND STAINLESS STEEL (B) SCHLAUCHAUFRÖLLER, GRAU PULVERBESCHÜTTET UND EDELSTAHL DÉVIDOIR MURAL, COUCHE DE PEINTURE EN POUDRE OU EN INOX SLANGHASPELS, GECOAT (A) EN RVS (B)  10 METERS/15 METERS	ITEM KHR-5635-O KHR-5635-OSS KHR-5635-E KHR-5635-ESS	$\varnothing$ 	$\leftrightarrow$ 368 368 470 470	$\updownarrow$ 349 349 381 381	$\uparrow$ 	$\downarrow$ 	$\rightarrow$

PLUMBING COMPONENTS

WASSERSTATION GLASFÜLLER, VERCHROMT EDELSTAHL


WATERSTATION GLASVULLER,
VERCHOOMD RVS



KL26-0010-Z

[illegible]

IJSLEPELBAK MET KRAAN. RVS



KL22-3100-Z

[illegible]

ALL MODELS WITH 76MM SINK OPENING AVAILABLE WITH BOX PATTERN DRAIN (D23/D63 SERIES)

100%

Ø	↔	OVERFLOW ASSY	
89	114		
76	101		
76	101	YES	
89	114	YES	
89	114		
76	101		
76	101	YES	
89	114	YES	

ALL MODELS AVAILABLE WITH LEVER HANDLE

D53-7215 (2" NPS)

Ø	↔	OVERFLOW ASSY	
89	114		
89	114		
89	114	YES	
89	114	YES	

PLUMBING COMPONENTS

E13 & E18 SERIES



OVERFLOW TUBE, STAINLESS STEEL

STANDROHR, EDELSTAHL

TROP-PLEINS, INOX

STANDPIJP, RVS

ITEM	Ø	↔	↕	↕	↕	↕
E13-1240 (1-1/4")	31		240			
E18-1250 (1-1/4")	31	DRAIN				
E13-0242 (1-1/2")	38		254			
E13-0244 (1-1/2")	38		305			
E13-0245 (1-1/2")	38		125			
E13-0246 (1-1/2")	38		170			
E13-0247 (1-1/2")	38		200			
E13-0248 (1-1/2")	38		220			
E13-0250 (1-1/2")	38		270			
E18-1500/4 (1-1/2")	38	DRAIN				
E13-2130 (2")	50		130			
E13-2150 (2")	50		170			
E13-2200 (2")	50		200			
E13-2250 (2")	50		250			
E13-2300 (2")	50		300			
E13-2350 (2")	50		350			
E18-2000 (2")	50	DRAIN				

SS SERIES



OVERFLOW TUBE, STAINLESS STEEL

SIEBSTANDROHRE, EDELSTAHL

TROP-PLEINS, INOX

STANDPIJPEN, RVS

ITEM	Ø	↔	↕	↕	↕	↕
SS 08	38		155			
SS 10	38		205			
SS 12	38		255			
SS 14	38		305			
E18-1500/4 (1-1/2")	38	DRAIN				

SBM SERIES




SINK BOWLS, STAINLESS STEEL

WASCHBECKEN, EDELSTAHL

ÉVIERS, INOX


SPOELBAKKEN, RVS

OTHER SIZES ON REQUEST



ITEM	Ø	↔	↕	↕	↕	↕
SBM-404020-TF		400	400	200		
SBM-404025-TF		400	400	250		
SBM-404030-TF		400	400	300		
SBM-504025-TFL		500	400	250		
SBM-504025-TFR		500	400	250		
SBM-504030-TFL		500	400	300		
SBM-504030-TFR		500	400	300		
SBM-505025-TF		500	500	250		
SBM-505030-TF		500	500	300		
SBM-604530-TFL		600	450	300		
SBM-604530-TFR		600	450	300		
SBM-605030-TFL		600	500	300		
SBM-605030-TFR		600	500	300		

CAFETERIA COMPONENTS




- ✓ A VERY EXTENSIVE RANGE OF COMPONENTS TO ALLOW OUR CUSTOMERS TO DO ONE-STOP SHOPPING
- ✓ HEAVY DUTY STAINLESS STEEL SHELF BRACKETS AVAILABLE IN VARIOUS SIZES AND MODELS
- ✓ GLASS CLAMPS FOR ROUND AND SQUARE TUBING FOR 6 AND 8MM GLASS
- ✓ LED FIXTURES UTILIZE LONG-LASTING, ENERGY EFFICIENT LED LAMPS



- ✓ EEN ZEER UITGEBREIDE RANGE COMPONENTEN DIE 'ONE-STOP SHOPPING' MOGELIJK MAAKT
- ✓ ZWARE RVS DRAGERS VERKRIJGBAAR IN MEERDERE MODELLEN EN AFMETINGEN
- ✓ GLASHOUDERS VOOR ZOWEL RONDE ALS VIERKANTE BUIZEN VOOR 6 EN 8 MM GLAS
- ✓ LED ARMATUREN MAKEN GEBRUIK VAN DUURZAME, ENERGIEZUINIGE LED LAMPEN

- ✓ EINE SEHR GROSSE AUSWAHL VON KOMPONENTEN, DIE ES UNSEREN KUNDEN MÖGLICH MACHT ALLES AUS EINER HAND ZU ERHALTEN (ONE-STOP SHOPPING)
- ✓ SCHWERLAST (KLAPP)-KONSOLEN AUS EDELSTAHL, ERHÄLTICH IN VERSCHIEDENEN GRÖSSEN UND MODELLEN
- ✓ GLASHALTER AUS EDELSTAHL FÜR RUND UND VIERKANTROHR FÜR 6 UND 8MM GLAS, AUCH IN V4A LIEFERBAR
- ✓ LED LAMPEN FÜR LANGLEBIGEN UND ENERGIESPARENDEN EINSATZ

CAFETERIA COMPONENTS

L82 SERIES  	LED LIGHT, IP 66 RATED, STAINLESS STEEL FACE LED EINBAULEUCHTE, IP 66, EDELSTAHL LED ECLAIRAGE ENCASTRABLE POUR HOTTE, IP 66, FACE INOX LED INBOUW VERLICHTINGSARMATUUR, IP 66, RVS AFWERKING TEMPERATURE RATING OF 75°C CE & UKCA APPROVED	<table><tr><th>ITEM</th><th>Ø</th><th>↔</th><th>↕</th><th>↕</th><th>↕</th><th>↕</th></tr><tr><td>L82-1020-CE</td><td></td><td>610</td><td>150</td><td></td><td></td><td></td></tr><tr><td>L82-1030-CE</td><td></td><td>914</td><td>150</td><td></td><td></td><td></td></tr><tr><td>L82-1040-CE</td><td></td><td>1219</td><td>150</td><td></td><td></td><td></td></tr><tr><td>L82-1030-LED-CE-N</td><td></td><td>914</td><td>150</td><td>NATURAL</td><td></td><td></td></tr><tr><td>L82-1030-LED-CE-W</td><td></td><td>914</td><td>150</td><td>WARM</td><td></td><td></td></tr><tr><td>L82-1040-LED-CE-N</td><td></td><td>1219</td><td>150</td><td>NATURAL</td><td></td><td></td></tr><tr><td>L82-1040-LED-CE-W</td><td></td><td>1219</td><td>150</td><td>WARM</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM	Ø	↔	↕	↕	↕	↕	L82-1020-CE		610	150				L82-1030-CE		914	150				L82-1040-CE		1219	150				L82-1030-LED-CE-N		914	150	NATURAL			L82-1030-LED-CE-W		914	150	WARM			L82-1040-LED-CE-N		1219	150	NATURAL			L82-1040-LED-CE-W		1219	150	WARM																							
ITEM	Ø	↔	↕	↕	↕	↕																																																																									
L82-1020-CE		610	150																																																																												
L82-1030-CE		914	150																																																																												
L82-1040-CE		1219	150																																																																												
L82-1030-LED-CE-N		914	150	NATURAL																																																																											
L82-1030-LED-CE-W		914	150	WARM																																																																											
L82-1040-LED-CE-N		1219	150	NATURAL																																																																											
L82-1040-LED-CE-W		1219	150	WARM																																																																											
CUP DISPENSERS 	CUP DISPENSER, STAINLESS STEEL BECHERSPENDER VERSTELLBAR, EDELSTAHL DISTRIBUTEURS DE GOBELETS, INOX BEKERVERDEELERS, RVS	<table><tr><th>ITEM</th><th>Ø</th><th>↔</th><th>↕</th><th>↕</th><th>↕</th><th>↕</th></tr><tr><td>C3200CH</td><td>135</td><td></td><td>610</td><td>HORIZONTAL</td><td></td><td></td></tr><tr><td>C3200CV</td><td>135</td><td></td><td>610</td><td>VERTICAL</td><td></td><td></td></tr><tr><td>C3400CH</td><td>150</td><td></td><td>610</td><td>HORIZONTAL</td><td></td><td></td></tr><tr><td>C3400CV</td><td>150</td><td></td><td>610</td><td>VERTICAL</td><td></td><td></td></tr><tr><td>C3450SS</td><td>135</td><td></td><td>610</td><td></td><td></td><td></td></tr><tr><td>C3500CH</td><td>170</td><td></td><td>610</td><td>HORIZONTAL</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM	Ø	↔	↕	↕	↕	↕	C3200CH	135		610	HORIZONTAL			C3200CV	135		610	VERTICAL			C3400CH	150		610	HORIZONTAL			C3400CV	150		610	VERTICAL			C3450SS	135		610				C3500CH	170		610	HORIZONTAL																														
ITEM	Ø	↔	↕	↕	↕	↕																																																																									
C3200CH	135		610	HORIZONTAL																																																																											
C3200CV	135		610	VERTICAL																																																																											
C3400CH	150		610	HORIZONTAL																																																																											
C3400CV	150		610	VERTICAL																																																																											
C3450SS	135		610																																																																												
C3500CH	170		610	HORIZONTAL																																																																											
CONTEMPO SERIES 	CORNER BUMPERS AND STRIPS, BLACK, GREY STOSSECKE UND STOSSSTREIFEN, SCHWARZ, GRAU PARE CHOCS ET BANDE PARE CHOCS, NOIRE, GRIS STOOTBUMPERS EN STRIPS, ZWART EN GRIJS	<table><tr><th>ITEM</th><th>Ø</th><th>↔</th><th>↕</th><th>↕</th><th>↕</th><th>↕</th></tr><tr><td>C60-1010</td><td>127</td><td></td><td>19</td><td></td><td></td><td></td></tr><tr><td>C60-1030</td><td></td><td>88</td><td>23</td><td></td><td></td><td></td></tr><tr><td>C60-1040</td><td></td><td>104</td><td>23</td><td></td><td></td><td></td></tr><tr><td>C60-1050</td><td></td><td>111</td><td>32</td><td></td><td></td><td></td></tr><tr><td>C60-5010</td><td></td><td>7600</td><td>22</td><td></td><td></td><td></td></tr><tr><td>C60-1040-B</td><td></td><td>104</td><td>23</td><td></td><td></td><td></td></tr><tr><td>C60-1050-B</td><td></td><td>111</td><td>32</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM	Ø	↔	↕	↕	↕	↕	C60-1010	127		19				C60-1030		88	23				C60-1040		104	23				C60-1050		111	32				C60-5010		7600	22				C60-1040-B		104	23				C60-1050-B		111	32																								
ITEM	Ø	↔	↕	↕	↕	↕																																																																									
C60-1010	127		19																																																																												
C60-1030		88	23																																																																												
C60-1040		104	23																																																																												
C60-1050		111	32																																																																												
C60-5010		7600	22																																																																												
C60-1040-B		104	23																																																																												
C60-1050-B		111	32																																																																												
C65 SERIES 	CORNER BUMPERS AND STRIPS, BLACK, GREY STOSSECKE UND STOSSSTREIFEN, SCHWARZ, GRAU PARE CHOCS ET BANDE PARE CHOCS, NOIRE, GRIS STOOTBUMPERS EN STRIPS, ZWART EN GRIJS	<table><tr><th>ITEM</th><th>Ø</th><th>↔</th><th>↕</th><th>↕</th><th>↕</th><th>↕</th></tr><tr><td>C65-1010 (C)</td><td></td><td>97</td><td>25</td><td></td><td></td><td></td></tr><tr><td>C65-2120 (D)</td><td></td><td>3050</td><td>22</td><td></td><td></td><td></td></tr><tr><td>C65-3120 (D)</td><td></td><td>3050</td><td></td><td></td><td></td><td></td></tr><tr><td>C65-5090 (A)</td><td></td><td>85</td><td>22</td><td></td><td></td><td></td></tr><tr><td>C65-5000 (B)</td><td></td><td>76</td><td>22</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM	Ø	↔	↕	↕	↕	↕	C65-1010 (C)		97	25				C65-2120 (D)		3050	22				C65-3120 (D)		3050					C65-5090 (A)		85	22				C65-5000 (B)		76	22																																						
ITEM	Ø	↔	↕	↕	↕	↕																																																																									
C65-1010 (C)		97	25																																																																												
C65-2120 (D)		3050	22																																																																												
C65-3120 (D)		3050																																																																													
C65-5090 (A)		85	22																																																																												
C65-5000 (B)		76	22																																																																												

CAFETERIA COMPONENTS

BRITE GARD 	BRITE GARD STAINLESS STEEL CLEANER / PROTECTANT BRITE GARD EDELSTAHLREINIGER / SCHUTZMITTEL BRITE GARD INOX NETTOYANT / PROTECTANT BRITE GARD RVS REINIGER / BESCHERMER	ITEM Q85-2016	Ø	↔	↕	⬆	⬇	⬅	↩
J63 & J64 SERIES 	CAP STRIP AND DIVIDER BAR, STAINLESS STEEL ABDECKUNG, EDELSTAHL MOULURE, INOX AFDEKLIJST, RVS J63  J64 	ITEM J63-1451-8.2 J64-1450-8.2	Ø	↔ 2500 2500	↕	⬆	⬇	⬅	CAP STRIP DIVIDER BAR
6350 & J92 SERIES 	SCRAP RING SOLID RUBBER, BLACK, GREY DROP IN SCRAP CHUTE, STAINLESS STEEL GUMMI ABFALLROHRE FLACH SCHWARZ, GRAU ABFALLROHRRING, EDELSTAHL JOINTS VIDE ORDURES EN CAOUTCHOUC, NOIRE, GRIS JOINTS VIDE ORDURE EN, INOX A ENCASTRER RUBBEREN AFVALKOKERRING, ZWART, GRIJS DROP IN AFVALKOKERRING, RVS OTHER COLOUR RINGS AVAILABLE	ITEM 6350-B 6350-G 6351 6360 6352-G 6352-Z J92-1000 J92-5000	Ø 200 200 207 251 251 152 146	↔ 235 235 238 268 279 279	↕ 50 50 68 68 133 133	⬆	⬇	⬅	SCRAP RING WELDING RING
J70 SERIES 	COVE CORNER, SQUARE AND BULL NOSE INSERTS, STAINLESS STEEL ECK EINSATZSTÜCKEN, EDELSTAHL COIN A SOUDER EN ACIER, INOX HOEK EN BUIS INLASSTUKKEN, RVS	ITEM J70-4691 J70-4701 J72-4711 J72-4731 J74-4721 J74-4723 J74-4725	Ø 25 25 38 50 38 44 41	↔	↕	⬆	⬇	⬅	

CABINET HARDWARE




- ✓ A VERY EXTENSIVE RANGE OF COMPONENTS TO ALLOW OUR CUSTOMERS TO DO ONE-STOP SHOPPING
- ✓ DECORATIVE HANDLES AND KNOBS AND PULLS COME IN A WIDE VARIETY OF MODELS AND SIZES
- ✓ NSF LISTED FULL EXTENSION DRAWER SLIDES WITH 50 AND 100 KG LOAD CAPACITY
- ✓ DRAWER ASSEMBLIES HAVE A HEAVY DUTY WELDED CONSTRUCTION

- ✓ EEN ZEER UITGEBREIDE RANGE COMPONENTEN DIE 'ONE-STOP SHOPPING' MOGELIJK MAAKT
- ✓ DECORATIEVE HENDELS, KNOPPEN EN GREPEN VERKRIJGBAAR IN EEN GROOT AANTAL MODELLEN EN AFMETINGEN
- ✓ NSF GECERTIFICEERDE VOLLEDIG UITSCHUIFBARE TELESKOOP LADENGELEIDERS MET 50 EN 100 KG DRAAGKRACHT
- ✓ SCHUIFLADES HEBBEN EEN 'ZWARE' GELASTE CONSTRUCTIE

- ✓ EINE SEHR GROSSE AUSWAHL VON KOMPONENTEN, DIE ES UNSEREN KUNDEN MÖGLICH MACHT ALLES AUS EINER HAND ZU BEKOMMEN (ONE-STOP SHOPPING)
- ✓ DEKORATIVE GRIFFE, KNÖPFE UND SCHLÖSSER IN EINER GROSSEN AUSWAHL VON MODELLEN UND GRÖSSEN
- ✓ NSF ZERTIFIZIERTE SCHUBLADENFÜHRUNGEN MIT 50 UND 100 KG TRAGLAST
- ✓ SCHUBLADEN-BAUGRUPPEN HABEN EINE ROBUSTE SCHWEISSKONSTRUKTION

CABINET HARDWARE

P47, P48 & P49 SERIES 	TUBULAR HANDLES STAINLESS STEEL, HANDLES CHOME PLATED ROHRGRIFFE EDELSTAHL, GRIFFE VERCHROMT POIGNÉES TUBULAIRES, POIGNÉES CHROMÉES BUISHANDGREPEN RVS, HANDGREPEN VERCHROOMD	ITEM P47-0300 (A) P47-0450 (A) P48-1010 (B) P48-1012-M (B) P49-1500 (C) P49-1500-6 (C)	Ø	↔ 300 450 371 325 311 195	↕ 60 60 36 36 37 37	↗	↘	↻
P49 SERIES 	HANDLE SUPPORT & BRACKET HANDGRIFFSTÜTZEN & BEFESTIGUNGEN SUPPORTS POUR TUBE HANDGREEPSTEUNEN EN BEVESTIGINGEN	ITEM P49-1010 P49-2100 P49-2200	Ø	↔ 25 36 36	↕ 63 75 75	↗	↘	↻
P40 & P50-53 SERIES 	HANDLES & PULLS AUFBAUHANDGRIFFE POIGNÉES ET TIRANTS OPBOUWHANDVATEN	ITEM P40-1010 P50-1010-M P50-1011 P50-1011-M P51-1010 P52-1010 P53-1012	Ø	↔ 155 120 120 120 100 120 143	↕ 44 24 24 24 19 24 41	FINISH CHROME PLATED CHROME PLATED BUFFED SATIN BUFFED SATIN CHROME PLATED BLACK NYLON BLACK NYLON		
P44 & P45 SERIES 	PULLS, ALUMINUM, SATIN CHROME FINISH AUFBAUHANDGRIFFE ALU, VERCHROMT TIRANTS POUR MONTAGE ALU, CHROMÉS HANDVATEN ALUMINIUM, VERCHROOMD	ITEM P44-1010 P45-3000 P45-3500 P45-4000	Ø	↔ 117 76 89 102	↕ 25 32 32 32	↗	↘	↻

CABINET HARDWARE

P46 SERIES 	BAR PULL, STAINLESS STEEL GRIFFE, EDELSTAHL TIRANTS POUR MONTAGE, INOX OPBOUWHANDVATEN, RVS	ITEM P46-1010 P46-1010-M P46-1012 P46-1012-M Ø 133 133 108 108 ↔ 25 25 25 25 ↕ 25 25 25 25 ↙ ↘ ↻
P60, P62 & P63 SERIES 	RECESSED PULLS, STAINLESS STEEL MUSCHELGRIFFE, EDELSTAHL POIGNÉES À ENCASTRER, INOX INBOUWHANDVATEN, RVS	ITEM P60-1010-M P62-1010-M P62-1014 P63-1012-M Ø 122 120 120 120 ↔ 120 120 120 ↕ 62 62 62 ↙ ↘ ↻
P73 SERIES 	SNAP-IN HANDLE, BLACK ABS MUSCHELGRIFFE AUS KUNSTSTOFF SCHWARZ POIGNÉES À ENCASTRER, ABS NOIR INBOUWHANDVATEN, ABS ZWART	ITEM P73-0500 P73-1000 P73-2000 Ø 93 138 189 ↔ 35 37 44 ↕ ↙ ↘ ↻
P90 SERIES 	PADDLE LATCH, STAINLESS STEEL MUSCHEL VERSCHLÜSSE, EDELSTAHL POIGNÉES À CLAQUET, INOX GREEPSLUITINGEN, RVS - C MEANS WITH CYLINDER LOCK	ITEM P90-1000 P90-2000 P90-2000-C P90-5000 P90-5000-C Ø 55 84 84 124 124 ↔ 41 68 68 98 98 ↕ ↙ ↘ ↻

CABINET HARDWARE

M15 SERIES 	CABINET HINGE AND LATCH, CHROME PLATED SCHARNIERE UND VERSCHLÜSSE, VERCHROMT VERROUX ET POIGNÉES, CHROMÉS GRENDELSCHARNIEREN EN SLUITINGEN, VERCHROOMD	ITEM M15-9210 M15-9211	Ø	↔ 46 59	↕ 27 59	OFFSET 3 MM AND 10 MM 3 MM AND 10 MM			
R74 SERIES 	LIFT-OFF HINGE, STAINLESS STEEL SCHARNIERE, AUSHEBBAR, EDELSTAHL PAUMELLES DÉGONDABLE, INOX AFNEEMBARE SCHARNIEREN, RVS	ITEM R74-8000-RH R74-8001-LH R74-8100-RH R74-8101-LH R74-9000-RH R74-9001-LH	Ø	↔ 44 44 50 50 32 32	↕ 50 50 75 75 50 50	↕	↕	↕	
M48 SERIES 	CONTINUOUS HINGE WITH STAINLESS STEEL PIN, STAINLESS STEEL KLAVIERBAND, EDELSTAHL CHARNIÈRES PIANO A SOUDER, INOX PIANOSCHARNIER MET ROESTVRIJSTALEN PIN, RVS	ITEM M48-0112 M48-0122 M48-0132 M48-0134 M48-0143 M48-0144 M48-0154	Ø 2,2 2,0 2,3 3,2 3,0 3,0 4,8	↔ 19 27 38 38 51 51 64	↕ 1830 1830 1830 1830 1830 1830 1830	↕ 0,9 GAUGE 1,0 GAUGE 0,9 GAUGE 1,6 GAUGE 1,3 GAUGE 1,5 GAUGE 1,6 GAUGE	↕	↕	↕
M12, M75, M76 SERIES 	CABINET HINGE AND LATCH, STAINLESS STEEL SCHARNIERE UND VERSCHLUSSE, EDELSTAHL VERROUX ET POIGNÉES, INOX GRENDELSCHARNIEREN EN SLUITINGEN, RVS CORNER SHAPED HINGES, STAINLESS STEEL ABNEHMBARES FLAGGESCHARNIER, EDELSTAHL CHARNIÈRE DÉGONABLE SUR AIGUI OU AIGUI COIN, INOX DEMONTEERBAAR SCHARNIER RECHT OF IN HOEKMODEL, RVS	ITEM M12-9293 M12-9294 M12-9295 M75-1002 M75-5003	Ø 1 1.2 1.5	↔ 28 35	↕ 35 50 70 52 76	↕	↕	↕	

CABINET HARDWARE

F81 SERIES




FULL EXTENSION DRAWER SLIDE, S/S

VOLLAUSZUG EDELSTAHL

COULISSES TÉLESCOPIQUES INOX

LADEGELEIDER VOLLEDIG UITTREKBAAR, RVS



ITEM	↔	MAX	↕	LOAD CAPACITY
F81-0016	400	845	60	50 KG
F81-0020	500	1045	60	50 KG
F81-0022	550	1145	60	50 KG

S26 & 52 Series



DRAWER SLIDE FULL EXTENSION, STAINLESS STEEL

SCHUBLADENFÜHRUNGEN VOLLAUSZUG, EDELSTAHL

GLISSIÈRES TÉLESCOPIQUES, INOX

TELESCOPISCHE LADENGELEIDERS, RVS

AVAILABLE WITH DELRIN BEARINGS AND SS BEARINGS

ITEM	Ø	↔	↕	LOAD CAPACITY
S26-0016		400	21.4	50 KG
S26-0018		450	21.4	50 KG
S26-0020		500	21.4	50 KG
S26-0022		550	21.4	50 KG
S26-0024		600	21.4	50 KG
S26-0026		650	21.4	50 KG
S52-0020		500	62	100 KG
S52-0022		550	62	100 KG
S52-0024		600	62	100 KG
S52-0026		650	62	100 KG

GASTRO SERIES



WIRE SHELVES, STAINLESS STEEL

GITTERROST GASTRONORM, EDELSTAHL

RAYONNAGE GASTRONORM, INOX

DRAADROOSTER, RVS

ALSO AVAILABLE IN OTHER TYPES

ITEM	Ø	↔	↕	⬆	⬇	⬇
GASTRO 2/1		650	530			
GASTRO 1/1		530	325			
GASTRO 2/3		354	325			

P30 SERIES




UTILITY LOCK

DREHRIEGEL VERSCHLÜSSE

SERRURES POUR TIROIRS


TUIMELSLOTEN



ITEM	Ø	↔	↕	KEYING
P30-4750	7	16	22	ALIKE
P30-4751	7	16	22	DIFFERENT
P30-4752	7	16	22	DIFFERENT & MASTER KEYED
P30-4760	17	22	28	ALIKE
P30-4761	17	22	28	DIFFERENT
P30-4762	17	22	28	DIFFERENT & MASTER KEYED
P30-4770	24	28	35	ALIKE
P30-4771	24	28	35	DIFFERENT
P30-4772	24	28	35	DIFFERENT & MASTER KEYED
P30-4780	28	35	41	ALIKE
P30-4781	28	35	41	DIFFERENT
P30-4782	28	35	41	DIFFERENT & MASTER KEYED

CABINET HARDWARE

S90 SERIES		ITEM	Ø	↔	↕	⬇	↗	⚙
	DRAWER ASSEMBLY, INCLUDING PAN, STAINLESS STEEL	S90-0015-N		497	171			
	SCHUBLADEN EINBAUELEMENT, MIT BEHÄLTER, EDELSTAHL	S90-0015-C-N		497	171			
	TIROIRS NEUTRES, AVEC RÉCIPIENTS, INOX	S90-0020-N		636	171			
	LADE INBOUWELEMENT, INCLUSIEF LEKBAK, RVS	S90-0020-C-N		636	171			
	DIFFERENT SIZES ON REQUEST							

B57 & B58 SERIES		ITEM	Ø	↔	↕	⬇	↗	⚙
	DOOR SHEAVES, ZINC PLATED, STAINLESS STEEL	B58-5511	25	25.5	69		STEEL	FRONT
	SCHIEBETÜR ROLLEN, GALVANISIERT, EDELSTAHL	B58-5513	25	25.5	69		NYLON	FRONT
	ROULETTE RÉGLABLE POUR PORTE GLISSANTE, GALVANISÉE, INOX	B58-5515-SS	22.5	30	65	8.5	NYLON	FRONT
	SCHUIFDEURWIELEN INSTELBAAR, GEGALVANISEERD, RVS	B58-5521	25	25.5	69		STEEL	REAR
		B58-5523	25	25.5	69		NYLON	REAR
		B58-5525-SS	22.5	30	32.5	8.5	NYLON	REAR
		B57-2000		2000	32			
		B57-3000		3000	32			
		B57-6000		6000	32			

BEARINGS		ITEM	Ø	↔	↕	⬇	↗	⚙
	BALL BEARINGS, STAINLESS STEEL, STEEL, NYLON	B10-1210	23	6.3				
	FLACHES KUGELLAGERS, EDELSTAHL, STAHL, NYLON	B20-1013	22	5.5				
	ROULEMENT A BILLES, INOX, ACIER	B20-1019	25.4	7.9				
	VLAKE KOGELLAGERS, RVS, STAAL, NYLON							
	AVAILABLE WITH DIFFERENT SIZE SCREWS							

BEARINGS		ITEM	Ø	↔	↕	⬇	↗	⚙
	BALL BEARINGS, STAINLESS STEEL, STEEL, NYLON	B20-1028	33.3	7.9				
	FLACHES KUGELLAGERS, EDELSTAHL, STAHL, NYLON	B20-1032	25.4	5.5				
	ROULEMENT A BILLES, INOX, ACIER	B20-1219	33.3	7.9				
	VLAKE KOGELLAGERS, RVS, STAAL, NYLON	B20-1230	23	6.3				
		B20-1819	25.4	5.5				
		B23-1013	33.3	7.9				
		B24-1013	30	7.9				



- ✓ EQUIPMENT LEGS AVAILABLE IN VARIOUS SIZES WITH MOUNTING PLATE OR PROTRUDING STUD
- ✓ WIDE RANGE OF LATCHES AND HINGES FOR REFRIGERATION APPLICATIONS
- ✓ CE & UKCA CERTIFIED SELF REGULATING CONDENSATE EVAPORATORS
- ✓ CONCEALED SELF CLOSING CARTRIDGE, HINGES ENSURE SILENT & SMOOTH OPERATION

- ✓ RVS STELPOTEN VERKRIJGBAAR IN VERSCHILLENDE AFMETINGEN MET SCHROEFDRAAD OF MONTAGEPLAAT
- ✓ EEN UITGEBREID ASSORTIMENT SCHARNIEREN EN SLUITINGEN VOOR KOELKASTEN EN INLOOP-KOELINGEN
- ✓ CE & UKCA GECERTIFICEERDE ZELFREGULERENDE VERDAMPINGSBAKJES
- ✓ ZELFSLUITENDE PIVOTSCHARNIEREN VERZEKEREN EEN GERUISLOZE EN SOEPELE WERKING

- ✓ ANSCHRAUBFÜSSE IN VERSCHIEDENEN GRÖSSEN ERHÄLTICH. MIT ANSCHRAUBPLATTE ODER METRISCHEM GEWINDE
- ✓ GROSSE AUSWAHL AN SCHARNIEREN UND VERSCHLÜSSEN FÜR DIE KÄLTE- UND KÜHLTECHNIK
- ✓ CE & UKCA GEPRÜFTE SELBST REGULIERENDE KONDENSWASSERVERDUNSTER
- ✓ SELBSTSCHLIESSENDE SCHARNIERE GARANTIEREN RUHIGEN UND SANFTEN BETRIEB

A59 SERIES

EQUIPMENT LEG, STAINLESS STEEL, M10

ANSCHRAUBFUSS, EDELSTAHL, M10

PIED RÉGLABLE, INOX, M10

STELPOOT, RVS, M10

*MOUNTING PLATE

ITEM	Ø	↔	↕	↓↑	⊥	⚙
A59-1000*	59	120/150	30			700
A59-1100*	59	120/180	60			700
A59-1150	59	120/150	60			700
A59-1250	59	120/180	30			700
A59-0090	59	100/160	60			700
A59-1150-SS	59	120/180	60			700
A59-1650	59	160/255	95			700

A65 SERIES

EQUIPMENT LEG, STAINLESS STEEL, M10

ANSCHRAUBFUSS, EDELSTAHL, M10

PIED RÉGLABLE, INOX, M10

STELPOOT, RVS, M10

*MOUNTING PLATE

ITEM	Ø	↔	↕	↓↑	⊥	⚙
A65-2000	65	120/150	30			700
A65-2100	65	120/180	60			700
A65-2200	65	120/150	30			700
A65-2300	65	120/180	60			700
A65-2000-IT*	65	120/150	30			700
A65-2400*	65	155/205	50			700
A65-2600-IT*	65	140/240	100			700
A65-2700*	65	155/205	50			700

A48, 50, 84 & 86 SERIES

EQUIPMENT LEG, STAINLESS STEEL, M12

ANSCHRAUBFUSS, EDELSTAHL, M12

PIED RÉGLABLE, INOX, M12

STELPOOT, RVS, M12

*ALL A48, 50, 84 AND 86 MODELS CAN BE PLATED MOUNTED BY FITTING THE MP1/SS ON TOP.

ITEM	Ø	↔	↕	↓↑	⊥	⚙
A48-5032-M	41		100	44		900
A48-5048-M	41		150	44		900
A50-5032-M	41		100	44		900
A50-5048-M	41		150	44		900
A84-5032-M	50		100	44		900
A84-5048-M	50		150	44		900
A86-5032-M	50	STUD	100	44		900
A86-5048-M	50	STUD	150	44		900
MP1/SS*			102 x 80			

THERMAL MASTIC

HERMAL MASTIC COATING

WÄRMELEITPASTE


PATE CONDUCTRICE

WARMTEGELEIDENDE PASTA

ITEM	
Q77-1000	305 ML
Q77-1250	5 Gal



Q75 & Q76 SERIES 	SOUND DEADENER/ SOUND DEADENING PAD SCHALLDÄMPFER/ SCHALLSCHUTZ POLSTER PRODUITS D'INONORISATION/ PLAQUES D'INONORISATION GELUIDSDEMPENDE LATEX & PASTA/ GELUIDSDEMPENDE PADS PASTA	<table><tr><th>ITEM</th><th>Ø</th><th>↔</th><th>↕</th><th>↙</th><th>↘</th><th>↗</th></tr><tr><td>Q75-1366</td><td></td><td></td><td>3,68 L - LATEX</td><td></td><td></td><td></td></tr><tr><td>Q76-1250</td><td></td><td>90</td><td>250</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM	Ø	↔	↕	↙	↘	↗	Q75-1366			3,68 L - LATEX				Q76-1250		90	250																																													
ITEM	Ø	↔	↕	↙	↘	↗																																																											
Q75-1366			3,68 L - LATEX																																																														
Q76-1250		90	250																																																														
R24 SERIES 	MAGNETIC/MECHANICAL EDGEMOUNT LATCH, CHROME PLATED MAGNETISCHER VERSCHLUSS, VERCHROMT LOQUETEAUX AVEC AIMANT, CHROMÉES MAGNEETSLUITINGEN, VERCHROOMD -C MEANS WITH CYLINDER LOCK	<table><tr><th>ITEM</th><th>Ø</th><th>↔</th><th>↕</th><th>↙</th><th>↘</th><th>↗</th></tr><tr><td>R24-9175</td><td></td><td>273</td><td>38</td><td></td><td></td><td></td></tr><tr><td>R24-9175-C</td><td></td><td>273</td><td>38</td><td colspan="3">CYLINDER LK</td></tr><tr><td>R24-9175-X</td><td></td><td>273</td><td>38</td><td colspan="3">OFFSET HDL</td></tr><tr><td>R24-9175-XC</td><td></td><td>273</td><td>38</td><td colspan="3">CYL LK, OFFSET HDL</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM	Ø	↔	↕	↙	↘	↗	R24-9175		273	38				R24-9175-C		273	38	CYLINDER LK			R24-9175-X		273	38	OFFSET HDL			R24-9175-XC		273	38	CYL LK, OFFSET HDL																														
ITEM	Ø	↔	↕	↙	↘	↗																																																											
R24-9175		273	38																																																														
R24-9175-C		273	38	CYLINDER LK																																																													
R24-9175-X		273	38	OFFSET HDL																																																													
R24-9175-XC		273	38	CYL LK, OFFSET HDL																																																													
R25 SERIES 	MAGNETIC EDGEMOUNT LATCH, CHROME PLATED MAGNETISCHER VERSCHLUSS, VERCHROMT LOQUETEAUX AVEC AIMANT, CHROMÉES MAGNEETSLUITINGEN, VERCHROOMD -C MEANS WITH CYLINDER LOCK	<table><tr><th>ITEM</th><th>Ø</th><th>↔</th><th>↕</th><th>↙</th><th>↘</th><th>↗</th></tr><tr><td>R25-1700-C</td><td></td><td>292</td><td>49</td><td colspan="3">CYLINDER LK</td></tr><tr><td>R25-1700-NC</td><td></td><td>292</td><td>49</td><td colspan="3">CYLINDER LK</td></tr><tr><td>R25-1700-XC</td><td></td><td>292</td><td>49</td><td colspan="3">CYL LK, OFFSET HDL</td></tr><tr><td>R25-1700-XNC</td><td></td><td>292</td><td>49</td><td colspan="3">CYL LK, OFFSET HDL</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM	Ø	↔	↕	↙	↘	↗	R25-1700-C		292	49	CYLINDER LK			R25-1700-NC		292	49	CYLINDER LK			R25-1700-XC		292	49	CYL LK, OFFSET HDL			R25-1700-XNC		292	49	CYL LK, OFFSET HDL																														
ITEM	Ø	↔	↕	↙	↘	↗																																																											
R25-1700-C		292	49	CYLINDER LK																																																													
R25-1700-NC		292	49	CYLINDER LK																																																													
R25-1700-XC		292	49	CYL LK, OFFSET HDL																																																													
R25-1700-XNC		292	49	CYL LK, OFFSET HDL																																																													
R30 SERIES 	LATCH, SURFACE MOUNT, CHROME PLATED VERSLUSSE, VERCHROMT LOQUETEAUX, CHROMÉES SLUITINGEN, VERCHROOMD	<table><tr><th>ITEM</th><th>Ø</th><th>↔</th><th>↕</th><th>↙</th><th>↘</th><th>↗</th></tr><tr><td>R30-9140-5/8</td><td></td><td>178</td><td>53</td><td></td><td></td><td></td></tr><tr><td>R30-9140-FL</td><td></td><td>172</td><td>53</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	ITEM	Ø	↔	↕	↙	↘	↗	R30-9140-5/8		178	53				R30-9140-FL		172	53																																													
ITEM	Ø	↔	↕	↙	↘	↗																																																											
R30-9140-5/8		178	53																																																														
R30-9140-FL		172	53																																																														


R35 SERIES		ITEM	Ø	↔	↕	↕	↕	↕
	EDGEMOUNT LATCH, CHROME PLATED	R35-1105		260	38			
	ZUGVERSCHLÜSSE, RECHTS, VERCHROMT	R35-1105-C		260	38			CYLINDER LOCK
	FERMETURES POIGNÉES DROITE, CHROMÉES	R35-1105-X		260	38			OFFSET HANDLE
	WERPSLUITINGEN, RECHTE HENDEL, VERCHROOMD	R35-1105-XC		260	38			CYL LK, OFFSET HDL
		R35-3105-X		260	38			HIGH TEMPERATURE
-C MEANS WITH CYLINDER LOCK								

R42 SERIES		ITEM	Ø	↔	↕	OFFSET
	EDGEMOUNT HINGE	R42-2000		31	140	35 MM
	KANTENSCHARNIERE FÜR KÜHLMÖBELTÜREN	R42-2840		21	127	22 MM
	CHARNIÈRES À RAMPE	R42-2842*		24	127	28 MM
	HOEKSCHARNIEREN	R42-2843		24	127	28 MM
		R42-2844*		24	127	41 MM
		R42-2855		31	140	28 MM
		R42-2800	POWER SPRING KIT			
		R42-2810	POWER SPRING KIT			
 WASHER ADJUSTABLE SHAFT SPRING LOCKING PIN HEX SHAFT						
*AVAILABLE WITH POWER SPRING KIT						


R45 & 50 SERIES		ITEM	Ø	↔	↕	OFFSET
	LIFT OFF EDGEMOUNT HINGES	R45-1010		28	110	30 MM
	KANTENSCHARNIERE FÜR KÜHLMÖBELTÜREN	R50-2850		30	146	41 MM
	CHARNIÈRES À RAMPE	R50-2850 SPO		30	146	35 MM
	AFNEEMBARE HOEKSCHARNIEREN	R50-2850-BLK		30	146	41 MM
		R50-2850-SS*		30	146	41 MM
		*STAINLESS STEEL				

R56 SERIES		ITEM	
	CARTRIDGE HINGE	R56-1010	75 X 98
	SELBSTSCHLIESSENDE SCHARNIERE		PIVOT BRACKETS
	CHARNIÈRES PIVOT	R56-5010	79 X 25 - RH CARTRIDGE VERTICAL
	PIVOT SCHARNIEREN	R56-5011	79 X 25 - RH CARTRIDGE HORIZONTAL
		R56-5017	79 X 25 - RH PIVOT HORIZONTAL
		R56-7011	79 X 25 - RH PIVOT VERTICAL
		R56-7040	79 X 25 - RH DOUBLE PIVOT HORIZONTAL
		R56-MINI	38 X 76
	ALL ITEMS AVAILABLE IN LEFT HAND VERSION		

R60 SERIES 	HEAVY DUTY LID HINGE FOR LARGE COOKING KETTLE DECKEL-DREHGELENKE, FÜR GROSSE KOCHKESSELS CHARNIÈRE SANS BRAS SUPPORT, POUR LES GRANDES BOUILLOIRES ZWAAR DEKSEL SCHARNIER, VOOR GROTE KETELS	ITEM R60-1080030-C90 Aperture angle A1 = 90° Available on request: 65, 70, 80 or 85° Angle of decent A2 = about 10° Data only applicable for horizontal supporting surfaces 
T12 SERIES   FILE NO. SA7009	CONDENSATE EVAPORATOR TAUWASSERVERDUNSTER BACS ÉVAPORATEURS VERDAMPINGSBAKJES FOR FURTHER TECHNICAL INFORMATION SEE OUR WEBSITE UL LISTED	ITEM T12-0372 T12-5200 T12-0372-P T12-5200-P ↔ ↕ 120 X 317 120 x 317 120 x 317 120 x 317 70 70 70 70 160 WATT 300 WATT 160 WATT 300 WATT
T12 SERIES  	RANGE OF SELF-REGULATING CONDENSATE EVAPORATORS, INCLUDING A SELECTION OF CE & UKCA CERTIFIED VARIANTS ASSORTIMENT ZELFREGULERENDE VERDAMPINGSBAKJES, INCLUSIEF EEN SELECTIE VAN CE- EN UKCA-GECEERTIFICEERDE VARIANTEN SORTIMENT SELBSTREGULIERENDER KONDENSAT VERDAMPFER, EINSCHLIESSLICH EINER AUSWAHL CE- UND UKCA-ZERTIFIZIERTER VARIANTEN FOR FURTHER TECHNICAL INFORMATION SEE OUR WEBSITE CE & UKCA CERTIFIED	ITEM T12-0372-CE T12-5200-CE ↔ ↕ 120 x 317 120 x 317 70 70 160 WATT 300 WATT
T21 & T22 SERIES 	PILASTERS, ALUMINIUM LOCHSCHIENE ALUMINIUM CRÉMAILLÈRES ALUMINIUM STELLIJSTEN ALUMINIUM PILASTERS, STAINLESS STEEL LOCHSCHIENE EDELSTAHL CRÉMAILLÈRES INOX STELLIJSTEN RVS 	ITEM T22-0016 T22-0018 T22-0024 T22-0048 T22-0072 T22-1024 T22-1048 T22-1060 T22-1072 Ø ↔ ↕ ↗ ↖ ↻ 406 457 610 1219 1828 610 1219 1524 1828

T30 SERIES 	SNAP-IN SHELF SUPPORT KLAMMER TAQUETS CLIPS VOOR STELLIJSTEN *STAINLESS STEEL	ITEM T30-5030* (C) T30-5031 (D) T30-5032 * (D) T30-5055* (B) T30-5130 * (A) T30-5131 (A)	Ø	↔ 22 16 16 19 22 22	↕	⌈⌋	↵	↶↷
W19 SERIES 	WALK-IN LATCH SICHERHEITSVERSCHLÜSSE LOQUETEAUX DE SÉCURITÉ SCHARNIEREN VOOR INLOOPKOELING - C MEANS WITH CYLINDER LOCK - CHOOSE APPROPRIATE SAFETY RELEASE, W28 SERIES	ITEM W19-1000 W19-1000-C W19-1500 W19-1500-C W19-2000 W19-2000-C	Ø	↔ 266 266 266 266 266 266	↕ 51 51 51 51 51 51	OFFSET 0 MM - 19 MM 0 MM - 19 MM 19 MM - 41 MM 19 MM - 41 MM 41 MM - 64 MM 41 MM - 64 MM		
W38 SERIES 	HEAVY DUTY WALK-IN LATCH, CHROME PLATED VERSCHLÜSSE, VERCHROMT LOQUETEAUX, CHROMÉES SLUITINGEN, VERCHROOMD - C MEANS WITH CYLINDER LOCK - CHOOSE APPROPRIATE SAFETY RELEASE, W28 SERIES	ITEM W38-1000 W38-1000-C W38-1500 W38-1500-C W38-2000 W38-2000-C	Ø	↔ 283 283 283 283 283 283	↕ 51 51 51 51 51 51	OFFSET 0 MM - 19 MM 0 MM - 19 MM 19 MM - 41 MM 19 MM - 41 MM 41 MM - 64 MM 41 MM - 64 MM		
W99 SERIES 	WALK-IN LATCH, STAINLESS STEEL 316 VERSCHLÜSSE, EDELSTAHL 316 LOQUETEAUX, INOX 316 SLUITINGEN, RVS 316 - C MEANS WITH CYLINDER LOCK - CHOOSE APPROPRIATE SAFETY RELEASE, W28 SERIES	ITEM W99-3800-SS W99-3800-SS-C	Ø	↔ 283 283	↕ 50 50	⌈⌋	↵	↶↷

W28 SERIES



SAFETY RELEASE
SICHERHEITSINNENÖFNER
DÉCONDAMNATIONS
NOODONTGRENDELINGEN

ITEM	Ø	↔	↕	↗	↘	↙
W28-2325 (B)		82.5				
W28-2400 (B)		100				
W28-2400-SS (A)		100				
W28-2600X (B)		150				
W28-2600-SS (A)		150				
W28-3400X (C)		102				
W28-2800X (B)		200				

W99 SERIES



HINGE ASSEMBLY, STAINLESS STEEL 316
TÜRBAND, EDELSTAHL 316
CHARNIÈRES, INOX 316
VLGSCHARNIER, RVS 316

ITEM	Ø	↔	↕	↗	↘	↙
W99-4100-SSLH		263	108			
W99-4100-SSRH		263	108			
W99-6015-SS		387	128			

W59 & W60 SERIES



WALK-IN DOOR HINGES, CHROME PLATED
SCHARNIERE, VERCHROMT
CHARNIÈRES, CHROMÉES
SCHARNIEREN, VERCHROOMD

ITEM	Ø	↔	↕	↗	↘	↙
W60-1000		254	143			
W60-1000-S		175	143			
W59-1000		236	143			


VENT PORTS



SQUARE VENT PORT
DRUCKAUSGLEICHS VENTIL VIERECKIG
SOUPAPES D'ÉQUILIBRAGE DE PRESSION, CARRÉ
DRUKVEREFFENINGSVENTIEL VIERKANT

ITEM	O	↔	↕	↗	↘	↙
W88-1010	120V/23W	127	127	102		
W88-1012	220V/23W	127	127	102		
W88-1010-6000	120V/23W	127	127	150		
W88-2010	NON HEAT	127	127	102		

CANOPY HOOD



- ✓ EASY TO INSTALL ALL STAINLESS STEEL GREASE FILTERS IN A WIDE VARIETY OF DIMENSIONS
- ✓ EFFICIENTLY REMOVE A SIGNIFICANT AMOUNT OF GREASE BEFORE IT CAN ENTER THE VENTILATION SYSTEM
- ✓ EASY TO INSTALL CANOPY LIGHTING FIXTURES, GREASEPROOF, WATERPROOF AND HEATPROOF

- ✓ EENVOUDIG TE INSTALLEREN VETFILTERS VERKRIJGBAAR IN VELE AFMETINGEN
- ✓ VETFILTERS VANGEN EEN GROOT GEDEELTE VAN HET VET OP VOORDAT HET IN HET VENTILATIESYSTEEM TERECHT KAN KOMEN
- ✓ EENVOUDIG TE MONTEREN LICHTARMATUREN, RESISTENT TEGEN VET, WATER EN HITTE

- ✓ EINFACH ZU INSTALLIERENDE FLAMMSCHUTZFILTER IN ALLEN GÄNGIGEN GRÖSSEN
- ✓ EFFIZIENTE FETTFILTERUNG BEVOR DAS DAS BELÜFTUNGSSYSTEM ERREICHT WIRD
- ✓ EINFACH ZU INSTALLIERENDE, HITZE,-WASSER UND FETTBESTÄNDIGE HAUBENBELEUCHTUNG

CANOPY HOOD

FLAMEGARD TYPE IV



FLAME GARD BAFFLE FILTER, STAINLESS STEEL, 20MM

FLAME GARD FETTFANGFILTER, EDELSTAHL, 20MM

FLAME GARD FILTRES POUR HOTTES, INOX, 20MM

FLAME GARD VETFILTER, RVS, 20MM

ITEM	Ø	↔	↕	⬇️	⬆️	🔩
FG20-300500		300	500			
FG20-400400		400	400			
FG20-400500		400	500			
FG20-495495		495	495			
FG20-500300		500	300			
FG20-500400		500	400			
FG20-500500		500	500			

FLAMEGARD TYPE VI



FLAME GARD BAFFLE FILTER, STAINLESS STEEL, 45MM

FETTFANGFILTER, EDELSTAHL, 45MM

FILTRES POUR HOTTES, INOX, 45MM

VETFILTERS, RVS, 45MM

ITEM	Ø	↔	↕	⬇️	⬆️	🔩
FR51-1016		254	406			
FR51-1020		254	508			
FR51-1216		305	406			
FR51-1220		305	508			
FR51-1616		406	406			
FR51-1620		406	508			
FR51-1625		406	635			
FR51-2016		508	406			
FR51-2020		508	508			
FR51-2025		508	635			

L55 SERIES



CANOPY LIGHT FIXTURES WITH THERMAL AND CLEAR GLASS INCLUDING WIRE PROTECTION GUARD

DECKENBELEUCHTUNG LICHTARMIERUNG, UND THERMO ODER KLARES GLAS, MIT ODER OHNE WARMESCHUTZ

ARMATURE D'ECLAIRAGE AVE PROTECTION THERMIQUE

VERLICHTINGSARMATUUR MET THERMISCH EN HELDER GLAS, MET METALEN BESCHERMING

ITEM	Ø	↕	
L55-1004	140	222	TUFF SKIN
L55-1024	140	222	TUFF SKIN WIRE GUARD
L55-2004	140	222	CLEAR
L55-2024	140	222	CLEAR WIRE GUARD
LED-40001N	70	157	WITH GLOBE

L82 SERIES



LED LIGHT, IP 66 RATED, STAINLESS STEEL FACE

LED EINBAULEUCHTE, IP 66, EDELSTAHL

LED ECLAIRAGE ENCASTRABLE POUR HOTTE, IP 66, FACE INOX

LED INBOUW VERLICHTINGSARMATUUR, IP 66, RVS AFWERKING

TEMPERATURE RATING OF 75°C

L82 CE VARIANTS ARE UKCA APPROVED

ITEM	Ø	↔	↕	⬇️	⬆️	🔩
L82-1020-CE		610	150			
L82-1030-CE		914	150			
L82-1040-CE		1219	150			
L82-1030-LED-CE-N		914	150	NATURAL		
L82-1030-LED-CE-W		914	150	WARM		
L82-1040-LED-CE-N		1219	150	NATURAL		
L82-1040-LED-CE-W		1219	150	WARM		

CANOPY HOOD

LED-PL35 SERIES



LED CANOPY HOOD LIGHT 3,5 WATT 270 LUMEN

LED AFZUIGKAPLAMP 3,5 WATT 270 LUMEN

LED HAUBENLAMPE, 3,5 WATT 270 LUMEN

LED LAMPE POUR HOTTE, 3,5 WATT 270 LUMEN

3.5 WATT LIGHT PRODUCES 270 LUMENS, 2800 TO 3200 KELVINS,
SATIN FINISH BEZEL MATCHES HOOD, 120 DEGREE ADJUSTABLE
BEAM ANGLE

ITEM	
LED-PL35-N	LED CEILING LIGHT, 240V - 4 W NATURAL WHITE 4000 - 4500K
LED-PL35-W	LED CEILING LIGHT, 240V - 4 W WARM WHITE 2800 - 3200K
LED-PL35-W-IP64	LED CEILING LIGHT, 240V - 4 W WARM WHITE 2800 - 3200K, IP64

J63 & 64 SERIES





CAP STRIP AND DIVIDER BAR, STAINLESS STEEL

ABDECKUNG, EDELSTAHL

MOULURE, INOX

AFDEKLIJST, RVS



ITEM	Ø	↔	↕	⬆	⬇	⬇
J63-1451-8.2		2500				CAP STRIP
J64-1450-8.2		2500				DIVIDER BAR

90 VML SERIES



REGISTER, MULTI DAMPER, ALUMINUM

LUFTEIN-/AUSLASSGITTER VERSTELLBAR, ALUMINIUM

MULTI VALVE DAMPER, ALUMINUM

MULTI VALVE DAMPER, ALUMINUM

ITEM	Ø	↔	↕	⬆	⬇	⬇
90VML-20X4		500	100			
90VML-20X6		500	150			
90VML-24X12		600	300			
90VML-24X4		600	100			
90VML-24X6		600	150			
90VML-24X8		600	200			
90VML-30X6		750	150			
90VML-36X6		900	150			

M90 SERIES



SILICONE SEALANT, FOODGRADE, HIGH TEMPERATURE
RESISTANCE, 5 DIFFERENT COLORS

HOCH TEMPERATURSILIKONE, 5 FARBEN

SILICONE HAUT TEMPERATURE, 5 COULEURS

TEMPERATUURBESTENDIG SILICONENKIT,
FOODGRADE, 5 KLEUREN

ITEM	
M90-1010	CLEAR 310 ML
M90-1012	ALUMINUM 310 ML
M90-1014	WHITE 310 ML
M90-1016	BLACK 310 ML
M90-1018	HI TEMP RED 310 ML



INDEX

PRODUCT	PAGE	CATEGORY
Baffle filters	34	Canopy Hood
Bearings	25	Cabinet Hardware
Brackets, fold down	17	Cafeteria Component
Cabinet hinge	23	Refrigeration Components
Canopy light	34	Canopy Hood
Cap strip and divider bars	19, 35	Cafeteria Component
Condensate evaporator	30	OEM
Continious hinge	23	Cabinet Hardware
Cartridge hinges	29	OEM
Casters	17	Cafeteria Component
Corner bumpers and strips	18	Cafeteria Component
Cove Corners	19	Cafeteria Component
Cup dispensers	18	Cafeteria Component
Dipperwell assembly	14	Cafeteria Component
Door sheaves	25	Cabinet Hardware
Drains	14	Plumbing Components
Drawer assembly	25	Cabinet Hardware
Drawer slides	24	Cabinet Hardware
Equipment legs	7, 8, 9, 27	Work Tables
EZ sink	13	Plumbing Components
Faucets	11, 12, 13	Plumbing Components
Glass capping	17	Cafeteria Component
Glass clamp	17	Cafeteria Component
Handles	21, 22	Cabinet Hardware
Hinges	23, 29, 30, 32	OEM
Hose reels	13	Plumbing Components
Insert feet	7, 8, 9	Work Tables
Latches	22, 23, 28, 29, 31	OEM
LED light	18, 34, 35	Canopy Hood
Lift off hinge	23	Cabinet Hardware
Mini basket drain	15	Plumbing Components
Overflow tubes	15	Plumbing Components
Paddle latch	22	Cabinet Hardware

PRODUCT	PAGE	CATEGORY
Pilasters	30	OEM
Register, multi damper	35	Canopy Hood
Safety release	32	OEM
Service sink	12	Plumbing Components
Scrap rings	19	Cafeteria Component
Silicone sealant	35	Canopy Hood
Sink bowls	15	Plumbing Components
Snap-in shelf support	31	OEM
Sound deadener	28	OEM
Thermal mastic coating	27	OEM
Utility locks	24	Cabinet Hardware
Vent port	32	OEM
Water station filler	14	Plumbing Components
Wire shelves	24	Cabinet Hardware

FOR OUR FULL RANGE OF PRODUCTS PLEASE CONTACT US.

Your Global Partner for Innovative Solutions

Worldwide Availability:

NORTH AMERICA

COMPONENT HARDWARE NORTHEAST

Phone: +1 800-526-3694

COMPONENT HARDWARE SOUTHWEST

Phone: +1 877-476-3700

COMPONENT HARDWARE WEST

Phone: +1 800-227-3855

COMPONENT HARDWARE - CANADA

Phone: +1 905-415-2280



EUROPE

CHG EUROPE B.V.

Phone: +31-(0)76 596 86 99



ASIA

CHG KEIL TRADING

Phone: +86-21-6440-1211



Hazeldonk 6475, 4836 LH Breda, The Netherlands
+31 (0)76-596 8699

www.componenthardware.eu



COMPONENT
HARDWARE®